

Product Photo:



1、Field Descriptions

2、 SUBMITTER CHARACTERISTICS

| Field # | Field | Description | Reporting Mandatory (M) or Optional / mandatory fields (F) | To be filled by |
|---------|--------------------------------------|---|--|-----------------|
| | Product-ID-Other-Exist | N/A | M | Digiflavor |
| | Product-ID-Other | N/A | F | Digiflavor |
| | Product-Same-Composition-Exist | N/A | M | Digiflavor |
| | Product-Same-Composition-Exist-Other | N/A | M | Digiflavor |
| | Product-Weight-E-liquid | N/A | F | Digiflavor |
| | Product-Volume-E-liquid | N/A | F | Digiflavor |
| | Product-Manufacturer-Indentification | DIGIFLAVOR CO., LTD. | M | Digiflavor |
| | Product-Site-Address | #6005C, East Block, LaoBing Building, XingYe Rd#3012, Baoan District, Shenzhen, Guangdong, China +86-755-23284230 info@digiflavor.com | M | Digiflavor |
| | Product-CLP-Classification | N/A | F | Digiflavor |
| | Product_Launch_Date | 2016/4/18 | M | Digiflavor |

| | Product_Package_Units | 1 | M | Digiflavor |
|------------------|------------------------------------|--|--|-----------------|
| 6、PRODUCT DESIGN | | | | |
| Field # | Field | Description | Reporting Mandatory (M) or Optional / mandatory fields (F) | To be filled by |
| | E-Cigarette_Description | The DIGIFLAVOR AURA is made up of 304 Stainless steel, Silica glass, a golden plated housing positive pin and some accessories, atomizer volume 1.5 ml. | M | Digiflavor |
| | E-Cigarette_Liquid_Volume/Capacity | 1.5 ml | M | Digiflavor |
| | E-cigarette_Nicotine_Concentration | N/A | F | Digiflavor |
| | E-Cigarette_Battery_Type | N/A | F | Digiflavor |
| | E-Cigarette_Battery_Type_Capacity | N/A | F | Digiflavor |
| | E-Cigarette_Volt/Watt_Adjustable | N/A | M | Digiflavor |
| | E-Cigarette_Voltage | N/A | F | Digiflavor |
| | E-Cigarette_Voltage_Lower_Range | N/A | F | Digiflavor |
| | E-Cigarette_Voltage_Upper_Range | N/A | F | Digiflavor |
| | E-Cigarette_Wattage | N/A | F | Digiflavor |
| | E-Cigarette_Wattage_Lower_Range | N/A | F | Digiflavor |
| | E-Cigarette_Wattage_Upper_Range | N/A | F | Digiflavor |
| | E-Cigarette_Airflow_Adjustable | adjustable | M | Digiflavor |
| | E-Cigarette_Wick_Changeable | changeable | M | Digiflavor |
| | E-Cigarette_Microprocessor | N/A | M | Digiflavor |
| | E-Cigarette_Coil_Composition | SS316/Fe-Cr-AL alloy | M | Digiflavor |
| | Coil Resistance | 0.2 | M | Digiflavor |

| | | | | |
|--|--|-------------------------------------|---|------------|
| | E-Cigarette-Production-Conformity decl. | <input checked="" type="checkbox"/> | M | Digiflavor |
| | E-Cigarette-Quality -Safety | <input checked="" type="checkbox"/> | M | Digiflavor |
| | Child Tamper Proof decl. | <input checked="" type="checkbox"/> | M | Digiflavor |
| | E-Cigarette_Production _File | attachment | M | Digiflavor |
| | E_Cigarette_Opening/Refill _File | attachment | F | Digiflavor |
| | E-Cigarette -Consistent dosing methods -File | attachment | M | Digiflavor |
| | E-Cigarette -Consistent nicotine -dose/uptake file | attachment | M | Digiflavor |